

Storage Tank Options

This poly tank comes in a variety of sizes from 1200 gallons to 10,000 gallons. But the standard 2500 gallon tank (technically 2710 gallons) is 7.5 feet in diameter and 9.4 feet tall. It is incredibly thick making a light color (such as beige) possible without fear of algae growth. A lighter color helps to keep the water temperature cooler in the summer.

BEIGE

BLACK



DARK GREEN



| TANK SIZES | | | | |
|---|------------------|--|-------|-------------------|
| GAL. | SIZE | | GAL. | SIZE |
| 100 | 30" Dia x 43" H | | 1700 | 85" Dia x 80" H |
| 150 | 30" Dia x 61" H | | 2009 | 85" Dia x 89" H |
| 200 | 30" Dia x 79" H | | 2276 | 90" Dia x 93" H |
| 340 | 40" Dia x 74" H | | 2710 | 90" Dia x 113" H |
| 550 | 60" Dia x 52" H | | 2680 | 100" Dia x 92" H |
| 600 | 40" Dia x 120" H | | 3060 | 90" Dia x 125" H |
| 870 | 60" Dia x 78" H | | 3100 | 100" Dia x 103" H |
| 1100 | 60" Dia x 97" H | | 5050 | 120" Dia x 120" H |
| 1125 | 85" Dia x 56" H | | 5200 | 100" Dia x 164" H |
| 1480 | 85" Dia x 71" H | | 10400 | 144" Dia x 178" H |
| Most common tanks | | | | |
| Special Order tanks: require prepayment | | | | |
| Requires wide load permit | | | | |
| Special Order & Wide Load: Requires prepayment and permit | | | | |

2500 Gallon Ribbed Poly Tank (7.5' x 9.4')



“Limestone”



“Spotted Rock”



“Grey Stone”



“White Limestone”

2650 Gallon Concrete Tank (11' x 6.3') and 5550 Gallon Concrete Tank (11' x 11')

You can get one with a smooth concrete finish. Or you can get one with this “stone” stamped finish and one of these color templates. They also have a matching pump house.



| TANK SIZES | | | |
|--|-------------------|------|-------------------|
| GAL. | SIZE | GAL. | SIZE |
| *233 | 30" x 60" x 33" H | 1000 | 60" Dia x 84" H |
| *467 | 30" x 60" x 68" H | 1200 | 72" Dia x 68" H |
| 90 | 30" Dia x 33" H | 1480 | 72" Dia x 84" H |
| 140 | 30" Dia x 50" H | 1630 | 84" Dia x 68" H |
| 200 | 36" Dia x 50" H | 2015 | 84" Dia x 84" H |
| 300 | 36" Dia x 68" H | 2500 | 84" Dia x 102" H |
| 400 | 42" Dia x 68" H | 2600 | 96" Dia x 84" H |
| 500 | 48" Dia x 68" H | 3200 | 96" Dia x 102" H |
| 830 | 60" Dia x 68" H | 3750 | 96" Dia x 120" H |
| 1000 | 66" Dia x 68" H | 4400 | 102" Dia x 126" H |
| * Denotes only available in galvanized steel. All others available in galvanized steel or stainless steel. | | | |
| Dimensions are eave height. Top adds another 6"-20". | | | |

2500 Gallon Galvanized Steel Tank (7' x 8.5')

Most tanks are available in galvanized or stainless steel. They also make a slim line tank in galvanized steel.

The galvanized tanks have a spray in liner that protects the metal from rusting for 20 years or so.

The stainless steel tanks are good for 50 years or so.

Other Options

For larger applications and public supply systems, we can get fiberglass tanks or steel tanks in a variety of sizes.

Although we discourage it due to maintenance issues, you can bury the concrete tanks if needed for HOA approval. You can also get a cedar wrap for the poly or metal tanks. Or you can simply put them in a building or behind a privacy fence.

You can get these with constant pressure or standard pressure booster pumps.

You can get centrifugal booster pumps that are long lasting but need freeze protection or (for all except the metal tanks) submersible pumps that do not last quite as long but can achieve higher pressures and do not need freeze protecting.

Ask us which options might be best for your situation.